

Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail: shreevitthalchemical@gmail.com

Product Name- Di Ethyl Phthalate

# **Material Safety Data Sheet**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. **Product Identification:** 

Product Name: Diethyl phthalate

Synonyms: Ethyl phthalate

CAS-No: 84-66-2 EC-No.: 201-550-6

Catalog Codes: 80584, 10584, 50584, 98584, 90584, 97584

Molecular Formula: C12 H14 O4

**REACH Registration No:** A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration

deadline.

Relevant identified uses of the substance or mixture and uses advised against: Identified Uses: Pharma excipient and laboratory reagent, not for food Details of the supplier of the safety data sheet:

Company

Unit 1 & Office:

Shree Vitthal Chemicals

Plot No - B-54, Tasawade MIDC, Karad

Unit-2: Plot N. A-7, Shalgaon Bombalewadi,

Ind. Area, Kadegoan, Sangali-415304

E-mail Address

shreevitthalchemical@gmail.com

#### 1.2. **Emergency Telephone Number:**

For Emergency Contact No: 9552538073

Page 1 of 10

Unit -1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Dist. Satara - 415109.

Unit - 2 : Plot No. A-7,

Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist - Sangali - 415304. Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail: shreevitthalchemical@gmail.com

Product Name Di Ethyl Phthalate

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture: 2.1

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2 **Label Elements:**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.3 Other Hazards:

This substance/mixture contains no components considered to be either persistent, bioaccumulative or toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances: Diethyl Phthalate CAS No. 84-66-2

#### 3.2 Mixtures:

Component	CAS-No	EC-No.	Molar mass	Weight (%)
Diethyl	84-66-2	201-550-6	222.24 g/mol	>95
Phthalate				

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 **Description of First Aid Measures:**

**General information**: Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin Contact: Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Serious Skin Contact: Not Available

Inhalation: Remove from exposure, lie down. Move to fresh air. If not breathing, give artificial respiration. Obtain medical attention.

Page 2 of 10

Unit -1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Dist. Satara - 415109.

Unit - 2 : Plot No. A-7, Shalgoan-Bombalewadi, Ind. Area,

Tal. Kadegoan, Dist - Sangali - 415304.

Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals
E-mail: shreevitthalchemical@gmail.com

Product Name Di Ethyl Phthalate

Serious inhalation: Not Available

Ingestion: Do not induce vomiting. Call a physician or Poison Control Center immediately.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed:

Not Available

### **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 Extinguishing media Suitable

extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: No information available

5.2 Special hazards arising from the substance or mixture

Carbon dioxide

5.3 Special Protective Equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further Information (Precautions)

Not Available

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Page 3 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad. Dist. Satara – 415109.

Unit – 2

: Plot No. A-7,

Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist – Sangali – 415304. Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail: shreevitthalchemical@gmail.com

Product Name Di Ethyl Phthalate

### 6.3 Methods and material for containment and cleaning up:

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections:

Disposal considerations: see section 13

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities:

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

### 7.3 Specific end use(s):

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters:

Components with workplace control parameters

### 8.2 Exposure Controls:

**Appropriate Engineering Controls:** Handle in accordance with good industrial hygiene and safetypractice. Wash hands before breaks and at the end of workday.

### 8.3 Personal Protective Equipment:

Eye/face protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection:** Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and testandard EN 374 derived from it.

Page 4 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad. Dist. Satara – 415109.

Unit – 2 : Plot No. A-7,

Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist – Sangali – 415304. Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail: shreevitthalchemical@gmail.com

Product Name Di Ethyl Phthalate

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mmBreak through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Body Protection: Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection: Respiratory protection not required. For nuisance exposures use type OV/AG(US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure: Prevent further leakage or spillage if safe to do so.Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical

properties: Physical state and appearance: Liquid,

Light Yellow Odour: Odorless

Taste: Not Available Color: Light Yellow pH: Not Available

Melting Point: Not Available

Page 5 of 10

Unit - 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Dist. Satara - 415109.

Unit - 2 : Plot No. A-7,

> Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist - Sangali - 415304.

Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals
E-mail: shreevitthalchemical@gmail.com

Product Name- Di Ethyl Phthalate

Boiling Point: 298 - 299 °C / 568.4 - 570.2 °F @ 760 mmHg

Flash Point: 156 °C / 312.8 °F

Molecular Weight: 222.24 g/mol Critical Temperature: Not Available

Specific Gravity: 1.118

Vapor Pressure: 19 hPa at 163 °C Vapor Density: 7.7 - (Air = 1.0) Flammability or explosive limits:

Upper : Not Available

**Lower** : 0.75 %(V) **Solubility:** 1 g/l (20°C)

Autoignition Temperature: 440 °C at 984 hPa

Viscosity: Not Available

9.2 Other Information:

Not Available

### **SECTION 10: STABILITY AND REACTIVITY**

- 10.1 Reactivity: No data available
- 10.2 Chemical Stability: Stable under normal conditions. Light sensitive.
- 10.3 Possibility of Hazardous Reactions: Not Available
- 10.4 Conditions to Avoid: Not Available
- 10.5 Incompatible Materials: Oxidizing agents, acids
- 10.6 Hazardous Decomposition Products: Hazardous decomposition products formed under fire conditions. Other decomposition products No data available
  In the event of fire: see section 5
- 10.7 Hazardous Polymerization: Hazardous polymerization does not occur.
- 10.8 Hazardous Reactions: None under normal processing.

Page 6 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Dist. Satara - 415109.

Unit – 2 : Plot No. A-7, Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist – Sangali – 415304.

Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail : shreevitthalchemical@gmail.com

Product Name- Di Ethyl Phthalate

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects:

### Acute toxicity

LD50 Oral - Rat - male and female - 5.591 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - 6 h - >= 4, 64

mg/lRemarks: (ECHA)

LD50 Dermal - Rat - male and female - > 11.181

mg/kgRemarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 48 h

Remarks: (ECHA)

### Respiratory or skin sensitization

Buehler Test - Guinea

pigResult: negative

(OECD Test Guideline 406)Germ

cell mutagenicity No data available

In vitro mammalian cell gene mutation

testmouse lymphoma cells

Result: negative

Chromosome aberration test in

vitroHuman lymphocytes

Result: negativeAmes test

Page 7 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Unit - 2

Dist. Satara - 415109.

: Plot No. A-7, Shalgoan-Bombalewadi, Ind. Area,

Tal. Kadegoan, Dist – Sangali – 415304.

Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals E-mail: shreevitthalchemical@gmail.com

Product Name Di Ethyl Phthalate

Escherichia coli/Salmonella typhimurium

Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified asprobable, possible or confirmed human carcinogen by IARC.

Reproductive Effects: No information available Developmental Effects: No information available Teratogenicity: No

information available

STOT - single exposure: No information available STOT - repeated exposure: No information available

Aspiration hazard: No information available

Symptoms / effects, both acute and delayed: No information available

Endocrine Disruptor Information: No information available

Other Adverse Effects: Repeated dose toxicity - Rat - male and female - Oral - No observed

adverseeffect level -150 mg/kg (ECHA)

RTECS: TI1050000

To the best of our knowledge, the chemical, physical, and toxicological properties have not beenthoroughly investigated.

# **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1 Toxicity:

Toxicity to fish: flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 29 mg/l -96 h (US-EPA) flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 12 mg/l - 96 h(US-EPA)

Toxicity to daphnia and other aquatic invertebrates: static test LC50 - Daphnia magna (Water flea) - 90 mg/l - 48 h (US-EPA) Toxicity to algae: static test EC50 - Desmodesmus subspicatus (green algae) - 45 mg/l- 72 h(OECD Test Guideline 201)

Page 8 of 10

Unit - 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad.

Dist. Satara - 415109.

Unit - 2 : Plot No. A-7, Shalgoan-Bombalewadi, Ind. Area,

Tal. Kadegoan, Dist - Sangali - 415304.

Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals
E-mail: shreevitthalchemical@gmail.com

Product Name- Di Ethyl Phthalate

### 12.1 Persistence and degradability Persistence:

Biodegradability: aerobic - Exposure time 28 d

Result: 94,6 % - Readily biodegradable.

Remarks: (ECHA)

12.2 Bio Accumulative Potential: No information available

12.3 Mobility in soil: No information available

12.4 Results of PBT and vPvB Assessment: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.5 Other Adverse Effects:

Harmful to aquatic life.

No data available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste Disposal Methods:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# **SECTION 14: TRANSPORT INFORMATION**

	Land Transport (ADR/RID)	Air Transport (IATA)	Sea Transport (IMDG)
14.1 UN number	-	-	-
14.2 Proper shippingname	Not dangerous goods	Not dangerous goods	Not dangerous goods
14.3 Class	-	-	-
14.4 Packing group	=	-	-
14.5 Environmentallyhazardous	No	No	No
14.6 Special precautionsfor user	-	-	-

Page 9 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad. Dist. Satara – 415109.

Unit – 2 : Plot No. A-7,

Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist – Sangali – 415304. Contact us: 9552538073 / 9552538071 / 9552578074



Manufacturer of Di-Ethyl Phthalate ( DEP) & Fine Chemicals
E-mail: shreevitthalchemical@gmail.com

Product Name- Di Ethyl Phthalate

### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16: OTHER INFORMATION**

Reference: Not available

Created: 27/02/2022

### Disclaimer:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Shree Vitthal Chemicals be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Shree Vitthal Chemicals has been advised of the possibility of such damages.

Page 10 of 10

Unit – 1 : (Office) : Plot No. B-54, Tasawade M.I.D.C., Karad. Dist. Satara – 415109.

Unit - 2 : Plot No. A-7,

Shalgoan-Bombalewadi, Ind. Area, Tal. Kadegoan, Dist – Sangali – 415304. Contact us: 9552538073 / 9552538071 / 9552578074